

Ryder Transportation EDI Electronic Data Interchange

EDI 824

Application Advice Version 004010

Document: Version: 2.2
Document Date: May 10, 2011



EDI Services

824 Application Advice Transaction Set – Introduction

Ryder uses the EDI 824 to report errors in processing a carrier's EDI 214 transaction

Previous Versions

Ryder will continue to support all previous versions that are currently in production. If you want to migrate these partnerships to version 004010 please contact the Ryder EDI group.

824 Application Advice

Functional Group ID=**AG**

Introduction:

This Draft Standard for Trial Use contains the format and establishes the data contents of the Application Advice Transaction Set (824) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used to provide the ability to report the results of an application system's data content edits of transaction sets. The results of editing transaction sets can be reported at the functional group and transaction set level, in either coded or free-form format. It is designed to accommodate the business need of reporting the, rejection or acceptance with change of any transaction set. The Application Advice should not be used in place of a transaction set designed as a specific response to another transaction set (e.g., purchase order acknowledgment sent in response to a purchase order).

Heading:

<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max.Use</u>	<u>Loop Repeat</u>	<u>Notes and Comments</u>
010	ST	Transaction Set Header	M	1		
020	BGN	Beginning Segment	M	1		

Detail:

<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max.Use</u>	<u>Loop Repeat</u>	<u>Notes and Comments</u>
LOOP ID - OTI					99	
010	OTI	Original Transaction Identification	M	1		N1
020	REF	Reference Identification	O	12		N2
LOOP ID - TED					99	
070	TED	Technical Error Description	O	1		
090	SE	Transaction Set Trailer	M	1		

Transaction Set Notes

1. The OTI loop is intended to provide a unique identification of the transaction set that is the subject of this application acknowledgment.
2. The REF segment allows for the provision of secondary reference identification or numbers required to uniquely identify the original transaction set. The primary reference identification or number should be provided in elements OTI02-03.

Segment: **ST** Transaction Set Header
Position: 010
Loop:
Level: Heading
Usage: Mandatory
Max Use: 1
Purpose: To indicate the start of a transaction set and to assign a control number
Syntax Notes:
Semantic Notes: 1 The transaction set identifier (ST01) is used by the translation routines of the interchange partners to select the appropriate transaction set definition.
Comments:
Notes: This transaction will be used to notify carrier's of a rejection of a 214 Carrier Status message sent to an LLP.

Data Element Summary

<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
ST01	143	Transaction Set Identifier Code Code uniquely identifying a Transaction Set 824 Application Advice	M ID 3/3
ST02	329	Transaction Set Control Number Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set	M AN 4/9

Segment: **BGN** Beginning Segment
Position: 020
Loop:
Level: Heading
Usage: Mandatory
Max Use: 1
Purpose: To indicate the beginning of a transaction set
Syntax Notes: 1 If BGN05 is present, then BGN04 is required.
Semantic Notes: 1 BGN02 is the transaction set reference number.
2 BGN03 is the transaction set date.
3 BGN04 is the transaction set time.
4 BGN05 is the transaction set time qualifier.
5 BGN06 is the transaction set reference number of a previously sent transaction affected by the current transaction.

Comments:

Data Element Summary

<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
BGN01	353	Transaction Set Purpose Code Code identifying purpose of transaction set 00 Original	M ID 2/2
BGN02	127	Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier This is a identifier generated by the LLP for reference purposes.	M AN 1/30
BGN03	373	Date Date expressed as CCYYMMDD This is the GS05 date from the 214 this message is responding to.	M DT 8/8
BGN04	337	Time Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99) This is the GS06 time from the 214 this message is responding to.	X TM 4/8
BGN05	623	Time Code Code identifying the time. In accordance with International Standards Organization standard 8601, time can be specified by a + or - and an indication in hours in relation to Universal Time Coordinate (UTC) time; since + is a restricted character, + and - are substituted by P and M in the codes that follow Any valid X12 value may be sent. Refer to 004010 Data Element Dictionary for acceptable code values.	O ID 2/2
BGN06	127	Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier This is the Carrier PRO# from the 214 B10_01 (DE127).	O AN 1/30

Segment:	OTI Original Transaction Identification
Position:	010
Loop:	OTI Mandatory
Level:	Detail
Usage:	Mandatory
Max Use:	1
Purpose:	To identify the edited transaction set and the level at which the results of the edit are reported, and to indicate the accepted, rejected, or accepted-with-change edit result
Syntax Notes:	1 If OTI09 is present, then OTI08 is required.
Semantic Notes:	<ul style="list-style-type: none"> 1 OTI03 is the primary reference identification or number used to uniquely identify the original transaction set. 2 OTI06 is the group date. 3 OTI07 is the group time. 4 If OTI11 is present, it will contain the version/release under which the original electronic transaction was translated by the receiver. 5 OTI12 is the purpose of the original transaction set, and is used to assist in its unique identification. 6 OTI13 is the type of the original transaction set, and is used to assist in its unique identification. 7 OTI14 is the application type of the original transaction set, and is used to assist in its unique identification. 8 OTI15 is the type of action indicated or requested by the original transaction set, and is used to assist in its unique identification. 9 OTI16 is the action requested by the original transaction set, and is used to assist in its unique identification. 10 OTI17 is the status reason of the original transaction set, and is used to assist in its unique identification.
Comments:	<ul style="list-style-type: none"> 1 OTI02 contains the qualifier identifying the business transaction from the original business application, and OTI03 will contain the original business application identification. 2 If used, OTI04 through OTI08 will contain values from the original electronic functional group generated by the sender. 3 If used, OTI09 through OTI10 will contain values from the original electronic transaction set generated by the sender.

Data Element Summary

<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
<u>Des.</u>	<u>Element</u>		
OTI01	110	Application Acknowledgment Code Code indicating the application system edit results of the business data TR Transaction Set Reject	M ID 1/2
OTI02	128	Reference Identification Qualifier Code qualifying the Reference Identification CN Carrier's Reference Number (PRO/Invoice)	M ID 2/3
OTI03	127	Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier This value is Carrier PRO#.	M AN 1/30
OTI04	142	Application Sender's Code Code identifying party sending transmission; codes agreed to by trading partners	O AN 2/15
OTI05	124	Application Receiver's Code Code identifying party receiving transmission; codes agreed to by trading partners	O AN 2/15
OTI06	373	Date Date expressed as CCYYMMDD	O DT 8/8

		GS Date of 214 containing the error.	
OTI07	337	Time	O TM 4/8
		Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)	
		GS Time of 214 containing the error	
OTI08	28	Group Control Number	X N0 1/9
		Assigned number originated and maintained by the sender	
		GS Control number of 214 containing the error.	
OTI09	329	Transaction Set Control Number	O AN 4/9
		Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set	
		ST Control number of 214 containing the error.	
OTI10	143	Transaction Set Identifier Code	O ID 3/3
		Code uniquely identifying a Transaction Set	
		214 Transportation Carrier Shipment Status Message	

Segment: **REF** Reference Identification
Position: 020
Loop: OTI Mandatory
Level: Detail
Usage: Optional
Max Use: 12
Purpose: To specify identifying information
Syntax Notes:

- 1 At least one of REF02 or REF03 is required.
- 2 If either C04003 or C04004 is present, then the other is required.
- 3 If either C04005 or C04006 is present, then the other is required.

Semantic Notes:

- 1 REF04 contains data relating to the value cited in REF02.

Comments:

Data Element Summary

<u>Ref.</u> <u>Des.</u>	<u>Data</u> <u>Element</u>	<u>Name</u>	<u>Attributes</u>
REF01	128	Reference Identification Qualifier Code qualifying the Reference Identification SI Shipper's Identifying Number for Shipment (SID)	M ID 2/3
REF02	127	Reference Identification Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier This is the value of X12 214 B10_02 .	M AN 1/30

Segment: **TED** Technical Error Description
Position: 070
Loop: TED Optional
Level: Detail
Usage: Optional
Max Use: 1
Purpose: To identify the error and, if feasible, the erroneous segment, or data element, or both
Syntax Notes:
Semantic Notes:
Comments: 1 If used, TED02 will contain a generic description of the data in error (e.g., part number, date, reference number, etc.).

Data Element Summary

<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
TED01	647	Application Error Condition Code Code indicating application error condition 007 Missing Data 009 Invalid Date 011 Not Matching 848 Incorrect Data DUP Duplicate Transaction	M ID 1/3
TED02	3	Free Form Message Free-form text	O AN 1/60
TED03	721	Segment ID Code Code defining the segment ID of the data segment in error (See Appendix A - Number 77)	O ID 2/3
TED04	719	Segment Position in Transaction Set The numerical count position of this data segment from the start of the transaction set: the transaction set header is count position 1	O N0 1/6
TED07	724	Copy of Bad Data Element This is a copy of the data element in error	O AN 1/99

Segment: **SE** Transaction Set Trailer
Position: 090
Loop:
Level: Detail
Usage: Mandatory
Max Use: 1
Purpose: To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

Syntax Notes:

Semantic Notes:

Comments: 1 SE is the last segment of each transaction set.

Data Element Summary

<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
SE01	96	Number of Included Segments	M N0 1/10
		Total number of segments included in a transaction set including ST and SE segments	
SE02	329	Transaction Set Control Number	M AN 4/9
		Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set	